Special Report CMU/SEI-89-SR-5 May 1989






Carnegie-Mellon University Software Engineering Institute

AD-A253 172

SAME Standard Package Installation Guide



92 24

The following statement of assurance is more than a statement required to comply with the federal law. This is a sincere statement by the university to assure that all people are included in the diversity which makes Carnegie Mellon an exciting place. Carnegie Mellon wishes to include people without regard to race, color national origin, sex, handicap, religion, creed, ancestry, belief, age, veteran status or sexual orientation.

Carnegie Mellon University does not discriminate and Carnegie Mellon University is required not to discriminate in admissions and employment on the basis of race color national drigin, sex or handicap in violation of Title VI of the Civil Rights Act of 1964. Title IX of the Educational Amendments of 1972 and Section 504 of the Rehabilitation Act of 1973 or other tederal state or local favire or executive or deep in the Law of Carnegie Mellion Circles in Judicial Law or executive orders in quines concerning application of this policy should be directed to the Provist, Carnegie Mellon University, 5000 Forbes Avenue, Pittsburgh, PA 15213 (elephone (412) 268-6684 or the Vice President for Enrollment, Carnegie Mellon University, 5000 Forbes Avenue, Pittsburgh, PA 15213 (elephone (412) 268-2056).

Special Report CMU/SEI-89-SR-5 May 1989

SAME Standard Package Installation Guide



Marc H. Graham

Binding of Ada and SQL Project

Approved for public release.

Distribution unlimited.

Software Engineering Institute
Carnegie Mellon University
Pittsburgh, Pennsylvania 15213

This technical report was prepared for the

SEI Joint Program Office ESD/AVS Hanscom AFB, MA 01731

The ideas and findings in this report should not be construed as an official DoD position. It is published in the interest of scientific and technical information exchange.

Review and Approval

This report has been reviewed and is approved for publication.

FOR THE COMMANDER

Karl Shingler

SEI Joint Program Office

This work is sponsored by the U.S. Department of Defense.

Copyright © 1989. Software Engineering Institute, Carnegie Mellon University

This document is available through the Defense Technical Information Center. DTIC provides access to and transfer of scientific and technical information for DoD personnel, DoD contractors and potential contractors and other U.S. Government agency personnel and their contractors. To obtain a copy, please contact DTIC directly: Defense Technical Information Center, Attn: FDRA, Cameron Station, Alexandria, VA 22304-6145.

Copies of this document are also available through the National Technical Information Service. For information on ordering, please contact NTIS directly: National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.

Use of any other trademarks in this report is not intended in any way to infringe on the rights of the trademark holder.

Table of Contents

1. Introduction	1
2. Modifying the Source	1
2.1. SQL_Standard and SQL_System	1
2.2. SQL_Communications_Pkg and SQL_Database_Error_Pkg	2
2.3. To_String and To_SQL_Char_Not_Null	3
3. Compilation Order	4

DTIC QUALITY INSPECTED 4

Acces	sion For		1
NTIS	GRA&I		
DTIC '	TAB		
Unann	ounced		
Justi	fication_		-
	ibution/ lability		
}	Avail an		
Dist	Specia	1	-
4/I			

CMU/SEI-89-SR-5

List of Figures

Figure 1:	The Package SQL_Standard	2
Figure 2:	The Package SQL_System	3

CMU/SEI-89-SR-5

1. Introduction

This document outlines the procedures for installing the SQL Ada Module Extensions (SAME) standard packages. It assumes that the source of these packages has been off-loaded from the distribution medium to a machine with the desired Ada compiler. (A description of the distribution medium accompanies the medium.)

Installing the SAME standard packages is a two-step operation. First, a subset of the source must modified; second, the source is compiled into the proper Ada library or libraries.

2. Modifying the Source

There are six files on the distribution medium which need to be modified before compilation. These files are:

- 1. SQL_Standard (a package specification)
- 2. SQL_System (a package specification)
- 3. SQL_Communications_Pkg_Body (a package body)
- 4. SQL_Database_Error_Pkg_Body (a package body)
- 5. To_String (a subunit body)
- 6. To_SQL_Char_Not_Null (a subunit body)

2.1. SQL_Standard and SQL_System

The packages SQL_Standard and SQL_System (see Figures 1 and 2) contain type definitions and constants that describe the DBMS to the SAME. Strictly speaking, the package SQL_Standard is part of the ANSI SQL standard. The type and subtype definitions in SQL_Standard describe the standard ANSI database types INT, SMALLINT, REAL, DOUBLE PRECISION, and CHAR.

The information needed to describe the numeric types can be found in the documentation supplied by the DBMS vendor. If, for example, the DBMS data type INTEGER (or INT) references 32-bit integers, and SMALLINT references 16-bit integers, these type definitions should be:

```
type Int Is range -(2**31) .. (2**31) - 1;
type Smallint Is range -(2**15) .. (2**15) - 1;
```

The treatment of character data in SQL_Standard is meant to support the character sets defined by the implementor. If the DBMS character set is ASCII, then the definitions in SQL_Standard should read:

```
package Character_Set renames Standard;
Subtype Character_Type is Character_Set.Character;
```

Otherwise, it is assumed there exists an Ada package that supports the DBMS character set for Ada programs. Assuming that that package is called Host_Character_Support_Pkg, and that the character enumeration type definition within that package is named *Character*, the above definitions should read:

```
package Character_Set renames Host_Character_Support_Pkg;
Subtype Character_Type is Character_Set.Character;
```

The package SQL_System declares two constants whose values cannot be deduced from the information in SQL_Standard. The constant MAXCHRLEN is the length of the longest string the DBMS will store. This value must be in the range of the Ada predefined type Standard.Integer for the target compiler. The constant MAXERRLEN is the length of the longest error message the DBMS error message routine will produce. This error message routine or function, which is not controlled by the ANSI standard, varies from DBMS to DBMS. The value of MAXERRLEN must not exceed MAXCHRLEN. Setting MAXERRLEN to MAXCHRLEN will usually work, but may waste space.

Note Well: The packages SQL_Standard and SQL_System are basic to every SAME application. Recompilation of these packages necessitates recompilation of every SAME standard package and application. It is imperative that the values in these packages be correctly set.

```
package Sql Standard is
  package Character Set renames csp;
    Subtype Character Type IS Character Set.cst;
    type Char Is array (positive range <>)
        Of Character_Type;
    type Smallint is range bs..ts;
    type Int Is range bi..ti;
    type Real is digits dr;
    type Double Precision Is digits dd;
    type Decimal Is to be determined;
    type Sqlcode Type is range bsc..tsc;
    Subtype Sql Error IS Sqlcode Type
        range Sqlcode Type'FIRST .. -1;
    Subtype Not Found is Sqlcode Type
        range 100..100;
    Subtype Indicator_Type is t;
      csp is an implementor-defined package and cst is an
      implementor-defined character type. bs, ts, bi, ti, dr,
      dd, bsc, and tsc are implementor-defined integral values.
      t is int or smallint corresponding to an
--
      implementor-defined <exact numeric type> of indicator
      parameters.
end sql standard;
```

Figure 1: The Package SQL Standard

2.2. SQL_Communications_Pkg and SQL_Database_Error_Pkg

The packages SQL_Communications_Pkg and SQL_Database_Error_Pkg are used for SAME standard error processing. (See the document *Guidelines for the Use of the SAME*, CMU/SEI-89-TR-16, for details.) The installation of these packages may require modifying their bodies. Modification of the specifications of these packages is not generally required. The body of SQL_Communications_Pkg will depend on the platform, that is, the Ada compiler and DBMS. The body of SQL_Database_Error_Pkg is independent of the platform but dependent on decisions to be made at installation time.

```
-- SQL_System is a "platform-specific" package
-- within the SAME
package SQL_System is
-- MAXCHRLEN is the upper bound of the SQL_Char_Pkg
-- subtypes SQL_Char_Length and SQL_Unpadded_Length
-- SQL_Char_Length is a subtype of Natural with a lower
-- bound of 1
-- SQL_Unpadded_Length is a subtype of Natural with a lower
-- bound of 0

MAXCHRLEN: constant integer:= str_leng;
-- MAXERRLEN is the maximum length of the error message
-- string returned from the DBMS error message function
MAXERRLEN: constant integer:= msg_leng;
end SQL_System;
```

Figure 2: The Package SQL_System

The package SQL_Database_Error_Pkg declares the procedure Process_Database_Error. This procedure is called by abstract module procedures when an unexpected DBMS exceptional condition (non-zero SQLCODE value) has occurred. The procedure should take whatever action is mandated by local policy for error reporting. The exception SQL_Database_Error, defined in SQL_Communications_Pkg, will be raised upon termination of Process_Database_Error.

The distributed version of Process_Database_Error calls the function SQL_Database_Error_Message in package SQL_Communications_Pkg, which returns an explanatory error message acquired from the DBMS. It then prints the message with text_io.put. The installer should modify this body as appropriate for his or her installation.

2.3. To_String and To_SQL_Char_Not_Null

The subunits To_String and To_SQL_Char_Not_Null are used for converting character representations. If the DBMS character set is ASCII, the distributed versions of these subunits can be used without modification.

Assume that is not the case. Assume further the package Host_Character_Support_Pkg mentioned earlier contains routifies for converting between its string type, Host_String, a one dimensional array over the type Host_Character_Support_Pkg.Character, and the Ada predefined type Standard.String. Specifically, suppose that within the support package are to be found functions with the following declarations:

```
function To_String (Value : Host_String) return String;
function To_Host_String (Value : String) return Host_String;
In that case, these subunits could be recoded as follows:
```

CMU/SEI-89-SR-5

```
With Host Character Support Pkg;
separate (SQL Char Pkg)
function To String (Value : SQL Char Not Null)
    return String is
package HCSP renames Host_Character_Support_Pkg;
    return (HCSP. To String (HCSP. Host String (Value)));
    -- notice explicit Ada type conversion
end To String;
With Host_Character_Support_Pkg;
separate (SQL Char Pkg)
function To SQL Char Not Null (Value : String)
    return SQL Char Not Null is
package HCSP renames Host Character Support Pkg;
    return (SQL Char Not Null(HCSP.To Host_String(Value)));
    -- notice inverse Ada type conversion
end To SQL Char Not Null;
```

Note: Unlike the package specifications SQL_St⁻ ndard and SQL_System, the remaining user modifications are all to bodies. Whereas modifications to the package specifications must be made before any compilations can take place, the remaining modifications can be done later, and redone, without recompilation effects.

3. Compilation Order

The SAME standard packages are divided into groups. Packages within a group may be compiled in any order. All packages in one group must be compiled before compiling packages in the next group. Notice that the bodies of packages are distributed in separate files from those containing the specifications of packages. These files are named package name>_Body.

Group I.

- 1. SQL_Standard
- 2. SQL System
- 3. SQL_Exceptions

Group II.

1. SQL_Boolean_Pkg

Group III.

- 1. SQL_Char_Pkg
- 2. SQL_Real_Pkg
- 3. SQL_Double_Precision_Pkg

Group IV.

- 1. SQL_Communications_Pkg
- 2. SQL_Int_Pkg
 3. SQL_Smallint_Pkg
- 4. SQL_Enumeration_Pkg

Group V.

- 1. SQL_Base_Types_Pkg
- 2. To_SQL_Char_Not_Null
- 3. To_String
- 4. SQL_Decimal_Pkg

Group VI.

1. SQL_Database_Error_Pkg